



ELBOW PROTOCOL


For left elbow. If both are painful, repeat steps 1-3 on the other side.




Start with the leg straight. Large X: 20 seconds each



Multiple Stars - diagonals, front to back and medial to lateral: 10 seconds each




In a straight position, make a large X and 1 star on the opposite side



Connect both sides: 10 seconds each. Finish with 20 minutes CES

SHOULDER PROTOCOL

For left shoulder. If both are painful, repeat steps 1-3 on the other side.



Large X: 20 seconds each


Multiple stars around shoulder– press deep, 10 seconds each.

1 probe at medial shoulder and other probe moved around outside of shoulder: 10 seconds each point.


Connect both sides. 10 seconds each. (outside shoulders, inside chest, inside forearm, outside paws).

HIP PROTOCOL

For left hip. If both are painful, repeat steps 1-3 on the other side.




Large X: 20 seconds each




Multiple stars around hip & through or across femur.

Press deep, 10 seconds each




1 probe at medial hip and other probe moved around outside of hip



Connect both sides: 10 seconds each. Finish with 20 minutes CES

KNEE (STIFLE) PROTOCOL

For left knee. If both are painful, apply steps to other side.




Large X: 20 seconds each

Multiple stars in diagonal and medial to lateral directions:
10 seconds each


Continue star pattern with knee bent. Treat across the joint: 10 seconds

Connect both sides: 10 seconds each. Finish with 20 minutes CES


SPINAL PAIN & PARESIS PROTOCOL




Chi Point to Lumbo-Sacral: 30 seconds. Large X: 20 seconds each



Multiple stars: 10 seconds each. Do 3 runs, each in a different plane



Rear paw to rear paw and diagonals: 30-60 seconds each



Connect both sides: 10 seconds each. Finish with 20 minutes CES

CUSTOMIZED PROTOCOL

Draw lines on the figures for any specific zone needing customized microcurrent therapy. Use our 5-Step Protocol as a foundation for the treatment recommendations.

